

⊢⊑ Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010

Issue date: 15/07/2020 Revision date: 15/07/2025 Version: 1.0

SECTION 1: Identification

Product identifier

: SODIUM CYANIDE Trade name : sodium cyanide **IUPAC** name EC-No. 205-599-4 CAS-No. 143-33-9 UN-No. (ADR) 1689 Product code 119110xxx

Relevant identified uses of the substance or mixture and uses advised against

Recommended uses and restrictions : For laboratory use only

1.3. Supplier's details

Labchem (Pty)Ltd 6 Wakefield Road Founders Hill 1609 Johannesburg - South Africa T +27 11 452 1116 - F +27 86 588 0293 techlab@labchem.co.za - www.labchem.co.za

Emergency telephone number

Emergency number : +27 11 452 1116

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to the United Nations GHS

Acute toxicity (oral), Category 2 H300 Acute toxicity (dermal), Category 1 H310 Acute toxicity (inhal.), Category 1 H330 Specific target organ toxicity — Repeated H372 exposure, Category 1 Hazardous to the aquatic environment — H400

Acute Hazard, Category 1

Hazardous to the aquatic environment —

Chronic Hazard, Category 1

Full text of H statements : see section 16

22 Label elements

Labelling according to the United Nations GHS

Hazard pictograms (GHS-ZA)



H410

GHS08



GHS06

GHS09

Signal word (GHS-ZA) : Danger

Hazard statements (GHS-ZA) H300+H310+H330 - Fatal if swallowed, in contact with skin or if inhaled

H372 - Causes damage to organs through prolonged or repeated exposure.

H410 - Very toxic to aquatic life with long lasting effects.

: P260 - Do not breathe dust/fume/gas/mist/vapours/spray. Precautionary statements (GHS-ZA)

P262 - Do not get in eyes, on skin, or on clothing.

P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P284 - [In case of inadequate ventilation] wear respiratory protection.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 - Immediately call a POISON CENTER or doctor. P314 - Get medical advice/attention if you feel unwell.

P320 - Specific treatment is urgent (see supplemental first aid instruction on this label).

P321 - Specific treatment (see supplemental first aid instruction on this label).

P330 - Rinse mouth.

15/07/2020 ZA - en 1/6

Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010

P361+P364 - Take off immediately all contaminated clothing and wash it before reuse.

P391 - Collect spillage.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

Other hazards

Adverse physicochemical, human health and environmental effects

Causes damage to organs through prolonged or repeated exposure, Fatal in contact with skin, Fatal if inhaled, Fatal if swallowed, Very toxic to aquatic life with long lasting effects.

SECTION 3: Composition/information on ingredients

Substances 3.1.

IUPAC name : sodium cyanide

Substance identification codes: See section 1.1

Name	Product identifier	%	Classification according to the United Nations GHS
Sodium Cyanide (Main constituent)	(CAS-No.) 143-33-9	≥ 98	Acute Tox. 2 (Oral), H300 Acute Tox. 1 (Dermal), H310 Acute Tox. 1 (Inhalation), H330 STOT RE 1, H372 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-statements: see section 16

Mixtures

Not applicable

SECTION 4: First aid measures

Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a physician immediately.

First-aid measures after skin contact Wash skin with plenty of water. Take off immediately all contaminated clothing. Call a physician

immediately.

First-aid measures after eye contact : Rinse eyes with water as a precaution. First-aid measures after ingestion : Rinse mouth. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

Special hazards arising from the substance or mixture

Hazardous decomposition products in case of : Toxic fumes may be released.

Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

No additional information available

6.1.1. For non-emergency personnel

: Do not breathe dust/fume/gas/mist/vapours/spray. Only qualified personnel equipped with **Emergency procedures**

suitable protective equipment may intervene.

6.1.2. For emergency responders

: Do not attempt to take action without suitable protective equipment. For further information Protective equipment

refer to section 8: "Exposure controls/personal protection".

Environmental precautions

Avoid release to the environment.

Methods and material for containment and cleaning up

: Collect spillage. For containment

15/07/2020 ZA - en 2/6

Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing.

Wear personal protective equipment. Use only outdoors or in a well-ventilated area.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

SODIUM CYANIDE (143-33-9)	
South Africa - Occupational Exposure Limits (Recommended Limits)	
Local name	Cyanides - as CN
OEL TWA (mg/m³)	5 mg/m³
Remark	Sk
Regulatory reference	Government Notice. R: 1179
South Africa - Occupational Exposure Limits (Control Limits)	
Local name	Hydrogen cyanide
OEL STEL (mg/m³)	10 mg/m³
OEL STEL (ppm)	10 ppm
Remark	Sk
Regulatory reference	Government Notice. R: 1179

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Protective gloves
Eye protection : Safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Dust production: dust mask with filter type P1

Personal protective equipment symbol(s):











8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

: No data available Appearance Molecular mass : 49.007 g/mol Colour : No data available Odour : No data available Odour threshold : No data available No data available : No data available pH solution Relative evaporation rate (butylacetate=1) : No data available : No data available Relative evaporation rate (ether=1)

Melting point : 561.7 °C Atm. press.: 1,013 hPa

15/07/2020 ZA - en 3/6

Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010

Freezing point : Not applicable

Boiling point : 1500 °C Atm. press.: 1,013 hPa

Flash point : Not applicable Auto-ignition temperature Not applicable Decomposition temperature No data available Flammability (solid, gas) : Non flammable. : No data available Vapour pressure Vapour pressure at 50 °C No data available Relative vapour density at 20 °C : No data available : No data available Relative density Relative density of saturated gas/air mixture : No data available · No data available Density Relative gas density No data available Solubility No data available Partition coefficient n-octanol/water (Log Pow) : No data available Partition coefficient n-octanol/water (Log Kow) : No data available Viscosity, kinematic No data available Viscosity, dynamic No data available

Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : Not applicable

Lower explosive limit (LEL) : No data available Upper explosive limit (UEL) : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Fatal if swallowed.

Acute toxicity (dermal) : Fatal in contact with skin.

Acute toxicity (inhalation) : Fatal if inhaled.

SODIUM CYANIDE (143-33-9	1)
--------------------------	----

LD50 oral rat 5.09 mg/kg bodyweight Animal: rat, Animal sex: female, 95% CL: 4,26 - 5,83

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified

STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

15/07/2020 ZA - en 4/6

Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-

term (acute)

: Very toxic to aquatic life.

Hazardous to the aquatic environment, long-

term (chronic)

: Very toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

	SODIUM CYANIDE (143-33-9)	
	Persistence and degradability	No additional information available
-		

12.3. Bioaccumulative potential

SODIUM CYANIDE (143-33-9)	
Bioaccumulative potential	No additional information available

12.4. Mobility in soil

SODIUM CYANIDE (143-33-9)	
Mobility in soil	No additional information available

12.5. Other adverse effects

Ozone : Not classified

Other adverse effects : No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with SANS / IMDG / IATA

SANS	IMDG	IATA
14.1. UN number		
1689	1689	1689
14.2. Proper Shipping Name		
SODIUM CYANIDE, SOLID	SODIUM CYANIDE, SOLID	Sodium cyanide, solid
14.3. Transport hazard class(es)		
6.1	6.1	6.1
6	6	Not applicable
14.4. Packing group		
1	1	1
14.5. Environmental hazards		
Dangerous for the environment : Yes	Dangerous for the environment : No	Dangerous for the environment : No
	:	
No supplementary information available		

14.6. Special precautions for user

- SANS

Limited quantities (SANS) : 0
Limited quantities (SANS) : 0

Packagings, large packagings and IBCs : P002, IBC07

Packing instructions (SANS)

Packagings, large packagings and IBCs Special : B1

packing instructions (SANS)

ai . Di

Portable tank and bulk containers instructions

(SANS)

15/07/2020 ZA - en 5/6

Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010

Portable tank and bulk container special : TP33

provisions (SANS)

- IMDG

: 0 Limited quantities (IMDG) Excepted quantities (IMDG) : E5 Packing instructions (IMDG) : P002 : PP31 Special packing provisions (IMDG) IBC packing instructions (IMDG) : IBC07 IBC special provisions (IMDG) : B1 Tank instructions (IMDG) : T6 Tank special provisions (IMDG) : TP33

EmS-No. (Fire) : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE EmS-No. (Spillage) : S-A - SPILLAGE SCHEDULE Alfa - TOXIC SUBSTANCES

Stowage category (IMDG) : B

Properties and observations (IMDG) : White, deliquescent crystals or lumps. Soluble in water. Reacts with acids or acid fumes,

evolving hydrogen cyanide, a highly toxic and flammable gas. Highly toxic if swallowed, by skin

contact or by dust inhalation.

- IATA

: E5 PCA Excepted quantities (IATA) PCA Limited quantities (IATA) : Forbidden PCA limited quantity max net quantity (IATA) : Forbidden PCA packing instructions (IATA) : 666 PCA max net quantity (IATA) : 5kg CAO packing instructions (IATA) : 673 CAO max net quantity (IATA) : 50kg ERG code (IATA) : 6L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health, and environmental national regulations specific for the product

Regulatory reference : SANS 10234:2008; SANS 11014:2010; SANS 10228:2012; SANS 10229:2010; SANS

10232(1,2,4), SANS 10231:2018; Occupational Health and Safety Act 85 of 1993; National

Road Traffic Act 93 of 1996.

SECTION 16: Other information

Issue date : 15/07/2020 Revision date : 15/07/2025

Full text of H-statements:

H300	Fatal if swallowed.
H310	Fatal in contact with skin.
H330	Fatal if inhaled.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

SDS South Africa

The data provided in this Safety Data Sheet (SDS) is correct to the best of our knowledge. The data relates to the specific product as named and is ntended as a guide to the safe handling of the product in all its facets. The data may no longer be valid if the product is used in any process or in combination with other products. This SDS is not a quality specification nor any form of guarantee.

15/07/2020 ZA - en 6/6