

### **⊢⊑** Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010

Issue date:02/03/2020 Revision date: 02/03/2020 Version: 1.0

#### **SECTION 1: Identification**

#### **Product identifier**

: Mixture Product form

Trade name : SILVER NITRATE SOLN 0.1N

Product code : 219031x Formula : AgNO3

#### Relevant identified uses of the substance or mixture and uses advised against

Recommended uses and restrictions : For laboratory use only

#### 1.3. Supplier's details

Labchem (Pty)Ltd 6 Wakefield Road Founders Hill 1609 Johannesburg - South Africa T +27 11 452 1116 - F +27 86 588 0293 techlab@labchem.co.za - www.labchem.co.za

#### **Emergency telephone number**

: +27 11 452 1116 Emergency number

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### **Classification according to the United Nations GHS**

Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, H319 Category 2A

Hazardous to the aquatic environment —

Acute Hazard, Category 3

Hazardous to the aquatic environment —

Chronic Hazard, Category 3

Full text of H statements : see section 16

H412

H402

#### **Label elements**

#### Labelling according to the United Nations GHS

Hazard pictograms (GHS-ZA)



Signal word (GHS-ZA) : Warning

Hazard statements (GHS-ZA) : H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H412 - Harmful to aquatic life with long lasting effects.

P264 - Wash hands, forearms and face thoroughly after handling. Precautionary statements (GHS-ZA)

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

#### Other hazards

Adverse physicochemical, human health and environmental effects

Causes skin irritation, Causes serious eye irritation, Harmful to aquatic life, Harmful to aquatic life with long lasting effects.

#### **SECTION 3: Composition/information on ingredients**

#### **Substances**

Not applicable

1/6 20/07/2020 ZA - en

#### Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
water	(CAS-No.) 7732-18-5	> 98	Not classified
silver nitrate	(CAS-No.) 7761-88-8	< 2	Ox. Sol. 2, H272 Skin Corr. 1B, H314 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-statements: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get

medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Irritation.

Symptoms/effects after eye contact : Eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of : Toxic fumes may be released.

fire

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal

protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

20/07/2020 ZA - en 2/6

### Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

SILVER NITRATE SOLN 0.1N		
South Africa - Occupational Exposure Limits (Recommended Limits)		
OEL TWA (mg/m³)	0.01 mg/m³ (soluble compounds - as Ag)	
Regulatory reference	Government Notice. R: 1179	
silver nitrate (7761-88-8)		
South Africa - Occupational Exposure Limits (Recommended Limits)		
Local name	Silver	
OEL TWA (mg/m³)	0 mg/m³ metal 0 mg/m³ soluble compounds - as Ag	
Regulatory reference	Government Notice. R: 1179	

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station. Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Protective gloves
Eye protection : Safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment

#### Personal protective equipment symbol(s):









#### 8.4. Exposure limit values for the other components

No additional information available

#### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid : Translucent. Appearance Colour Colourless. Odour No data available No data available Odour threshold рΗ : No data available : No data available pH solution Relative evaporation rate (butylacetate=1) No data available Relative evaporation rate (ether=1) : No data available Melting point : Not applicable Freezing point : No data available Boiling point No data available Flash point : No data available Auto-ignition temperature : No data available : No data available Decomposition temperature Flammability (solid, gas) : Not applicable Vapour pressure : No data available Vapour pressure at 50 °C : No data available Relative vapour density at 20 °C : No data available Relative density No data available Relative density of saturated gas/air mixture : No data available : No data available Density Relative gas density : No data available

20/07/2020 ZA - en 3/6

### Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010

: Miscible with water. Solubility Partition coefficient n-octanol/water (Log Pow) : No data available Partition coefficient n-octanol/water (Log Kow) : No data available Viscosity, kinematic No data available Viscosity, dynamic : No data available Explosive properties : No data available : No data available Oxidising properties **Explosive limits** : No data available : No data available Lower explosive limit (LEL) Upper explosive limit (UEL) : No data available

#### 9.2. Other information

No additional information available

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Skin corrosion/irritation : Causes skin irritation.
Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecology - general : Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short- : Harmful to aquatic life.

term (acute)
Hazardous to the aquatic environment, long-

ong- : Harmful to aquatic life with long lasting effects.

term (chronic)

#### 12.2. Persistence and degradability

SILVER NITRATE SOLN 0.1N	
Persistence and degradability	No additional information available

#### 12.3. Bioaccumulative potential

#### SILVER NITRATE SOLN 0.1N

Bioaccumulative potential

No additional information available

20/07/2020 ZA - en 4/6

### Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010

- 4	2.4.	n a	_	 	soil	

SILVER NITRATE SOLN 0.1N	
Mobility in soil	No additional information available
40 F Other adverse effects	

12.5. Other adverse effects

Ozone : Not classified

Other adverse effects : No additional information available

#### **SECTION 13: Disposal considerations**

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

#### **SECTION 14: Transport information**

In accordance with SANS / IMDG / IATA

SANS	IMDG	IATA			
14.1. UN number					
Not regulated for transport					
14.2. Proper Shipping Name					
Not applicable	Not applicable	Not applicable			
14.3. Transport hazard class(es)					
Not applicable	Not applicable	Not applicable			
Not applicable	Not applicable	Not applicable			
14.4. Packing group					
Not applicable	Not applicable	Not applicable			
14.5. Environmental hazards					
Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No			
	:				
No supplementary information available					

#### 14.6. Special precautions for user

#### - SANS

No data available

#### - IMDG

No data available

#### - IATA

No data available

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

15.1. Safety, health, and environmental national regulations specific for the product

Regulatory reference : SANS 10234:2008; SANS 11014:2010; SANS 10228:2012; SANS 10229:2010; SANS 10232(1,2,4), SANS 10231:2018; Occupational Health and Safety Act 85 of 1993; National

Road Traffic Act 93 of 1996.

#### **SECTION 16: Other information**

 Issue date
 : 02/03/2020

 Revision date
 : 02/03/2020

#### Full text of H-statements:

H272	May intensify fire; oxidiser.	
H314	Causes severe skin burns and eye damage.	
-	, ,	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H400	Very toxic to aquatic life.	
H402	Harmful to aquatic life	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	

SDS South Africa

20/07/2020 ZA - en 5/6

### Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010

The data provided in this Safety Data Sheet (SDS) is correct to the best of our knowledge. The data relates to the specific product as named and is ntended as a guide to the safe handling of the product in all its facets. The data may no longer be valid if the product is used in any process or in combination with other products. This SDS is not a quality specification nor any form of guarantee.

20/07/2020 ZA - en 6/6